CONTENTS Volume 202, January–June 1964

An annual author and subject index to the Journal of the Iron and Steel Institute, which covers all papers and abstracts contained in it, is published separately. It also includes Special Reports, and the titles of Institute Bibliographies published during the year. Below are given the papers which appear in this bound volume, listed according to first author, followed by Institute business, discussions, letters, etc. BISRA papers are indicated by their number.

PAPERS

ALWAN, A. S., and BILLS, P. M.: Transfer of sulphur from gas to molten oxide systems, 367.

BAIRD, J. D., and MACKENZIE, C. R.: Effects of nitrogen and manganese on the deformation substructure of iron strained at 20°C, 225°C, and 450°C, 427.

BERGH, S., and JOSEFSSON, A.: Deoxidation and pinhole formation in heavy steel castings, 356.

BIBBY, M. J., and PARR, J. G.: Martensitic transformation in pure iron, 100.

BLOOM, R. A., WALZ, H., and KOENIG, J. G.: An electronic scanner-computer for determining the non-metallic inclusion content of steels, 107.

BOWLES, P. J., RAMSTAD, H. F., and RICHARDSON, F. D.: Activities of silicon in metals and alloys, 113. (BISRA Paper C/19/62)

BRAMMAR, I. S., and HONEYCOMBE, R. W. K.: Formation of sulphides at grain boundaries in some pure iron alloys, 335.

BROWN, G. T.: Roman bloom from Cranbrook, Kent, 502.

BURDEN, J. P., and MASSON, C. R.: Modified isotope dilution technique for the determination of oxygen in iron and steel, 28.

ČIHAL, V., and JEŽEK, J.: Some observations on the nature of precipitating phases in 18/9/Nb steels, 124.

COX, R., and ELKAN, R. M. L.: Developments in steel extrusion, 236.

DAVIES, V. de L., AUGLAND, B., and CHRISTENSEN, N.: Relaxation of pearlitic cast iron, 343.

DUCKWORTH, W. E., TAYLOR, P. R., and LEAK, D. A.: Ausforming behaviour of En24, En30B, and an experimental 3% Cr–Ni–Si steel, 135. (BISRA Paper MG/E/32/63)

DYSON, D. J., and ANDREWS, K. W.: Structure and metallurgical significance of the iron–molybdenum carbide Fe_3MoC(M_6C), 325.

ERASMUS, L. A.: Effect of aluminium additions on forgeability, austenite grain coarsening temperature, and impact properties of steel, 32.

ERASMUS, L. A.: Effect of small additions of vanadium on the austenitic grain size, forgeability, and impact properties of steel, 128.

GIEDROYC, V., McPHAIL, A. N., and MITCHELL, J. G.: Controlling the sulphur content of iron, 11.

GOLDSCHMIDT, H. J., and HAM, W. M.: Constitutional effect of arsenic additions on an austenitic stainless steel, 347.

HANSELMAN, E. A.: Bar and rod rolling plant and practice for special steels at Samuel Fox and Co. Ltd, 42. (BISRA Paper MW/A/65/61)

HARDY, J. V., and BROWN, G. T.: Electron microscope study of the precipitation of M_2Si and sigma-phase formation in a 12%Cr–4%Ni steel, 437.

HARRIES, D. R., WOOLDRIDGE, G. H., and McWILLIAM, I. H.: Effects of neutron irradiation at 250°C on the tensile and impact properties of a 1%Cr–0·5%Mo pressure vessel steel, 448.

HARRIES, D. R., ARDY, A. F., and BARTLETT, A. F.: Radiation hardening in mild and low-alloy steels, 518.

HOWL, D. A., and DAVIS, A. F.: Total hemispherical emissivity of 20%Cr:25%Ni:Nb-stabilized steel, 523.

HUME-ROTHERY, W., and BUCKLEY, R. A.: Liquidus solidus relations in iron alloys: ideal solutions, 531. (BISRA Paper MG/A/120/63)

HUME-ROTHERY, W., and BUCKLEY, R. A.: Liquidus–solidus relations in the system iron manganese, 534. (BISRA Paper MG/A/122/63)

JOHNSON, R., MIDDLETON, J. W., and FORD, D.: Continuous casting at Appleby-Frodingham, 193.

JOHNSON, T. W., and DAVISON, J.: Reduction of iron ore by the flame-smelting process, 406. (BISRA Paper IM/T/14/63)

KETTUNEN, P. O.: Influence of ageing processes on the fatigue limit of a body-centred cubic iron, 209.

KOVES, G., and MONDOLFO, L. F.: Solidification of iron–carbon alloys of nearly eutectic composition, 424.

LITTLEWOOD, R.: Thermodynamics of the interaction of atmospheres with alloy steels, 143. (BISRA Paper MG/A/116/62)

MAZANEK, E., and JASIEŃSKA, S.: Effect of Al_2O_3 on the mineral constitution of self-fluxing sinters, 319.

NORLINDH, E.: Some outstanding features in new Swedish rolling mill installations, 261.

PARSONS, A. E., and SHEWRING, D.: Physical aids to control of the LD and LDAC processes, 401.

PEARSON, T. F., ARMSTRONG, C. G., and CARTWRIGHT, D. R.: Direct reduction experiments using a small Kaldo converter, 1.

PEDOTTI, M.: Raw materials handling and preparation facilities at the Dunkirk integrated iron- and steelworks, 147.

PETIT, D.: Present state of construction of Cowper stoves, 305.

PIASKOWSKI, J.: Effect of test bar diameter on the kinetics of first-stage graphitization in white cast iron, 22.

QUARTERMAIN, B., and HARRISON, J. A.: Rod profile gauge, 527.

RIDGION, J. M., and KERRISON, B.: Measurement of heat transfer coefficients for stove checkers, 315.

SANITER, F. H.: Presidential Address: Research and development in steel, 481.

SEHGAL, V. D., and MITCHELL, A.: Kinetics of desulphurization of steel under vacuum, 216.

SLEESWYK, A. W., HELLE, J. N., and DE GEUS, A.; Effect of low-temperature precompression on the ductility of iron, 330.

SPIEGLER, B., WEISS, B. Z., and TAUB, A.: Influence of decarburization on the fatigue properties and the propagation of cracks in silicon steels, 509.

SWANSON, W. D., and PARR, J. G.: Transformations in iron–nickel alloys, 104.

SZEKELY, J.: Experimental study of the rate of metal mixing in an open-hearth furnace, 505.

TAJIRI, I., NAGASHIMA, S., SHIMADA, H., and TAKEI, T.: Delta ferrite in austenitic stainless steel, 122.

TAYLOR, J.: Silica reduction reaction in the blast furnace, 420.

THE IRON AND STEEL INSTITUTE

Autumn General Meeting 1963: Formal business, 97.

Conference in Sheffield 1964: Programme, 535.

Report of Council for 1963, 489.

ABSTRACTS

57, 167, 281, 381, 461, and 541.

BOOK NOTICES

95 and 480.

CORRESPONDENCE ON PAPERS

HUDSON, J. C.: Does the sulphur content of blast furnace slag backfills render them corrosive? (*JISI*, 1964, **202,** 374) from WAGSTAFFE, Mrs G. M., and EDWARDS, A. M.

IRVINE, K. J., and PICKERING, F. B.: The impact properties of low-carbon bainitic steels (*JISI*, 1964, **202,** 373) from YEO, R. B. G.

DISCUSSIONS

Discussion on slag chemistry (AutGM 1963), 221.

LETTERS TO THE EDITOR

BROWN, G. T.: Etch for iron phosphide, 453.

DASARATHY, C.: Order-disorder change in Fe–Ga alloys, 51.

DE VRIES, H.: Effect of prestraining on Charpy V-notched impact specimens, 375.

HUME-ROTHERY, W., and BUCKLEY, R. A.: Liquidus–solidus relations in the system iron–manganese, 534.

SCHARFSTEIN, L. R.: Stress corrosion cracking of 18% nickel maraging steel, 158.

NEWS

53, 163, 277, 377, 457, and 537.

REVIEW

Special Report 79 'Recent developments in annealing' by J. G. Wistreich, 160.

TRANSLATIONS

56, 166, 280, 380, 460, and 540.

ABBREVIATIONS AND SYMBOLS

Beginning with the January 1956 issue, the recommendations of British Standard 1991: Part I: 1954 (*Letters, symbols, signs, and abbreviations*) and subsequent amendments, have been adopted for use in the *Journal*. The following list gives the preferred symbol or abbreviation where the Standard offers alternatives, and certain abbreviations that are not covered in the Standard but which are approved for use in the *Journal*.

a	year
A	ampere(s)
AC	air-cooled
ac	alternating current
AH	air-hardened
approx.	approximately
ASTM	grain size number (American Society for Testing and Materials)
at-%	atomic percent
awg	American wire gauge
bcc	body-centred cubic
°Bé	Baumé (degree)
B & S	Brown and Sharpe (gauge)
BoT	Board of Trade
bwg	Birmingham wire gauge
cgs	Celsius-gramme-second unit(s)
cm^3	cubic centimetre(s)
d	day
FC	furnace-cooled
fcc	face-centred cubic
hcp	hexagonal close-packed
hf	high-frequency
hp-h	horsepower-hour(s)
iswg	Imperial standard wire gauge
kX	crystal Ångstrom(s)—1000 Siegbahn X-units
lf	low-frequency
μm	micrometre
OH	open-hearth; oil-hardened
OQ	oil-quenched
ppm	parts per million
RT	room temperature
s	second(s)
swg	standard wire gauge
T	Tempered
°Tw	degree(s) Twaddell
wg	water-gauge
WQ	water-quenched
wt-%	weight percent

JOURNAL OF THE IRON AND STEEL INSTITUTE

Volume 202
July–December 1964

EDITOR
K. Headlam-Morley, O.B.E.

MANAGING EDITOR
E. R. Mort, B.Sc., F.I.M.

EXECUTIVE EDITOR
H. F. Cleere, B.A.

PRODUCTION EDITOR
R. B. Wood, B.A.

THE IRON AND STEEL INSTITUTE
THE INSTITUTE OF METALS
JOINT LIBRARY
4 GROSVENOR GARDENS, LONDON, S.W.1.

Published at the offices of
THE IRON AND STEEL INSTITUTE
4 Grosvenor Gardens London SW1

61F

THE IRON AND STEEL INSTITUTE

4 Grosvenor Gardens, London SW1

Council and Officers

(As at 1 July 1964)

President Frank Henry Saniter, O.B.E., D.SC.TECH., B.ENG.

Past Presidents

The Rt. Hon. the Earl of Dudley, M.C.
Sir Andrew McCance, D.SC., LL.D., F.R.S.
J. R. Menzies-Wilson, O.B.E.
Richard Mather, B.MET.
Capt. H. Leighton Davies, C.B.E.
James Mitchell, C.B.E.
The Hon. R. G. Lyttelton
Herbert Henry Burton, C.B.E., D.MET.
Arnold H. Ingen-Housz
Charles R. Wheeler, C.B.E.
William Barr, O.B.E.
William Frederick Cartwright, D.L.
Sir Charles Goodeve, O.B.E., D.SC., F.R.S.
Maurice Alberic Fiennes
Frank Bernard George, B.SC.

Honorary Treasurer Rhys William Evans, T.D., M.MET.

Vice-Presidents

Eric Winnearls Colbeck, M.A.
Thomas Rae Craig, O.B.E., T.D.
William Frederic Gilbertson
Edward Thomas Judge, M.A.
Sir Julian Pode
Arthur George Quarrell, D.SC., PH.D.
Edward Walters Senior, C.M.G.
B. Chetwynd Talbot
Geoffrey Weston Wells

Honorary Vice-Presidents

Alfonso de Churruca
Robert Durrer
Gunnar Schjelderup
Sir Arthur Matthews, O.B.E., M.A.
Joseph Oberegger
Berndt Gustaf Gronblom
Evert Wijkander
Eugène Louis Dupuy, D.SC.
Baron Walckenaer
Donald Fraser Campbell, M.A.
Ian Frederick Lettsom Elliot
Gustavus Henry Latham, LL.D.
Pierre van der Rest
George Henry Johnson
William Reid Brown, D.S.O.
Giovanni Falck
John Watson Jenkin, B.SC., PH.D.
Thomas Jolly
Ernesto Manuelli
James Bliss Austin, PH.D.
Howard Biers, DR.MONT.SC.M.
Donald Arthur Oliver, C.B.E., M.SC.
Pieter van Delden
Hermann Schenck
William Charles Bell
Richard Alan Hacking, O.B.E., M.SC.
Charles Henry Trelease Williams
Sir Robert Shone, C.B.E.
Pierre Coheur
Dara Phiroz Antia, D.SC.(MET.)
Bal Raj Nijhawan, B.SC.(MET.), PH.D.
Leonard Bessemer Pfeil, O.B.E., D.SC., F.R.S.
Sir Richard Summers
Sir Charles Sykes, C.B.E., D.SC., PH.D., F.R.S.
Alexander Reith Gray

Members of Council

Norman Percy Allen, D.SC., M.MET., F.R.S.
Sir Douglas Bruce-Gardner, B.T., M.A.
John Hugh Chesters, D.SC.(TECH.), PH.D.
Michael Frederick Dowding, M.A.
Howard Poulsom Forder
George Foster
Philip Everitt Holloway
Norman Cecil Lake
George Wilton Lee
Jack Nutting, PH.D., B.SC.
Lionel Roger Price Pugh
Ian Stephen Scott-Maxwell
Francis John Somers, T.D.
Patrick Muirhead Thomas, D.S.O., T.D.
Ronald Philip Townsrow, M.SC.

Honorary Members of Council

Emrys Davies
Geoffrey Thomas Harris, M.A.
Albert Jackson
William Milton Larke, B.A., M.I.MECH.E.
Thomas Reginald Middleton, B.SC.
Frederick Denys Richardson, D.SC., PH.D.

Technical Consultant, British Iron and Steel Federation — T. Dennison, B.SC.
Deputy Director, British Iron and Steel Research Association — W. C. F. Hessenberg, M.A.
President of The Institute of Metals — N. P. Inglis, PH.D., M.ENG., M.I.MECH.E., F.I.M.
Chairman of the Engineering Committee — J. A. Kilby
Chairman of the Bradford Metallurgical Society — N. Tommis, A.I.M.
President of the Cleveland Institution of Engineers — R. H. Price
President of the East Midlands Metallurgical Society — J. Dearden
President of the Ebbw Vale Metallurgical Society — A. W. Ellis, M.I.E.E.
President of the Leeds Metallurgical Society — P. R. Beeley
President of the Lincolnshire Iron and Steel Institute — C. G. Davies, B.SC., F.I.M.
President of the Liverpool Metallurgical Society — A. Stuttard
President of the Manchester Metallurgical Society — C. R. Tottle, M.MET., F.I.M.
Chairman of the Newport and District Metallurgical Society — J. E. Wells, B.SC., F.R.I.C., F.I.M.
Chairman of the North Wales Metallurgical Society — J. R. Rippon
President of the Sheffield Metallurgical and Engineering Association — J. A. McWilliam, T.D., M.A.
President of the Staffordshire Iron and Steel Institute — L. Harper
President of the Stoke-on-Trent Metallurgical Society — W. E. Alkins, D.SC., F.I.M.
President of the Swansea and District Metallurgical Society — D. J. D. Unwin, A.I.M.
President of the Tyne-Wear Metallurgical Society — J. A. Brown
President of the West Cumberland Metallurgical Society — B. Todd
President of the West of England Metallurgical Society — G. H. Moore
President of the West of Scotland Iron and Steel Institute — W. A. J. Dinwoodie, B.SC.
Representatives of The Institution of Metallurgists — L. F. C. Northcott, C.B.E., D.SC., PH.D.
L. Rotherham, M.SC., D.SC., F.R.S.

Secretary K. Headlam-Morley, O.B.E.
Deputy Secretary A. Post, T.D.
Assistant Secretary H. F. Cleere
Librarian M. L. Pearl

CONTENTS Volume 202, July–December 1964

An annual author and subject index to the Journal of The Iron and Steel Institute, which covers all papers and abstracts contained in it, is published separately. It also includes Special Reports and the titles of Institute Bibliographies published during the year. Below are given the papers which appear in this bound volume, listed according to first author, followed by Institute business, discussions, letters, etc. BISRA papers are indicated by their number.

PAPERS

ALLEN, N. P., EARLEY, C. C., HALE, K. F., and RENDALL, J. H.: Fracture of cold-worked iron, 808.

ARMSTRONG, B. M.: Effect of ausforming on the properties of carbon steel wire, 655. (BISRA paper MW/D/56/63)

ARMSTRONG, B. M., and STURGEON, G. M.: Influence of quench rate on the structure and properties of patented carbon steel rod, 1012. (BISRA Paper MW/D/61/63)

BARNSLEY, B. P., and THORNTON, D. S.: Efficiency of carbon removal by oxygen in arc furnaces, 735.

BERRY, P. M.: Continuous measurement of moisture in sinter-plant raw materials, 569.

BLACKBURN, M. J., and NUTTING, J.: Metallography of an iron–21% chromium alloy subjected to 475°C embrittlement, 610.

BONISZEWSKI, T., and BAKER, R. G.: Burning and hot tearing in the weld heat affected zone of ferritic steel, 921.

BRISBY, M. D. J., WORTHINGTON, P. M., and ANDERSON, R. J.: Economics of process selection in the iron and steel industry, 721.

BROOKS, S. H., and FITZGERALD, F.: Progress in blast furnace stove operation at Appleby-Frodingham, 818.

BROWN, G. T., THOMAS, A. J., and HARDY, J. V.: Embrittlement in an ausformed 12% chromium steel, 660.

BUCKLEY, R., and HUME-ROTHERY, W.: Liquidus and solidus relations in iron-rich iron–carbon-nickel alloys, 895. (BISRA Paper MG/A/31/64)

BURNS, K. W., and PICKERING, F. B.: Deformation and fracture of ferrite–pearlite structures, 899.

DUKE, R., and LAKIN, J. R.: Refractories for the arc furnaces at Steel, Peech and Tozer, 969.

FARRELL, K., and QUARRELL, A. G.: Hydrogen embrittlement of an ultra-high-tensile steel, 1002.

FEARNEHOUGH, G. D., and HOY, C. J.: Mechanism of the deformation and fracture in the Charpy test as revealed by dynamic recording of impact loads, 912.

FRANKLIN, A. G., and TEGART, W. J. McG.: Effect of desulphurization on the impact properties of some low-alloy steels, 588.

GREEN, J. I. T.: Cowper stoves in the light of regenerator theory, 833. (BISRA Paper SM/AH/57/64)

GUTT, W.: High-temperature phase equilibria for the partial system $3CaO.MgO.2SiO_2$–$MgO.Al_2O_3$–$2CaO.Al_2O_3.SiO_2$ in the quaternary system CaO–SiO_2–Al_2O_3–MgO, 770.

HAHN, G. T., GILBERT, A., and REID, C. N.: Model for crack propagation in steel, 677.

HOLMES, B. S., ROUNTHWAITE, C., HUNTER, D. S. D., and YOUNG, P. A.: Hot blast stoves: Parts III and IV, 839.

HOPKIN, L. M. T., and JENKINSON, E. A.: Creep-rupture ductility of a 1%Cr–½%Mo steel steampipe, 929.

JEFFES, J. H. E., and MCKERRELL, H.: The thermodynamics of hydrides, 666.

KNOTT, A. C., and ALDAYA, E. D.: Analysis of iron ore sinter with a vacuum direct reading spectrograph, 889.

NILLES, P.: Theoretical study of the solidification of rimming steel, 601.

PATHY, R. V., and WARD, R. G.: Distribution of chromium between liquid iron and simple synthetic slags, 995.

PELLEG, J.: Changes in morphology of graphite in bismuth-treated cast irons, 739.

PHILLIPS, R., DUCKWORTH, W. E., and COPLEY, F. E. L.: Effect of niobium and tantalum on the tensile and impact properties of mild steel, 593. (BISRA Paper MG/C/95/63)

PIASKOWSKI, J.: The manufacture of mediaeval damascened knives, 561.

RICHARDS, P. N.: Grain-oriented silicon iron produced by an oxide decarburizing process, 647.

ROBBINS, J. L., SHEPARD, O. C., and SHERBY, O. D.: Accelerated spheroidization of eutectoid steels by concurrent deformation, 804.

ROBERTS, D. A.: Sinter plant assessment trial at No.3 strand of John Summers and Sons Ltd, Shotton, 882. (BISRA Paper IM/S/26/63)

SEDRIKS, A. J., and MULHEARN, T. O.: Austenitic manganese steel: structure and properties of decarburized layer, 907.

SMITH, G., and TAYLOR, J.: Activity of silicon in liquid iron solutions, 577.

TRUMAN, J. E., PERRY, R., and CHAPMAN, G. N.: Stress-corrosion cracking of martensitic stainless steels, 745.

WEBSTER, D., and WOODHEAD, J. H.: Effect of 0·03% niobium on the ferrite grain size of mild steel, 987.

WILLIAMS, A. C.: Uses of the electroslag remelting process, 581. (BISRA Paper MG/A/135/63)

WOOD, G. C., HOBBY, M. G., and VASZKO, B.: Electron-probe micropanalysis of a nodular scale growth on an austenitic stainless steel, 685.

WOOD, G. C., and WHITTLE, D. P.: A preliminary study of the scaling behaviour of iron–chromium alloys rich in chromium using electron-probe microanalysis, 979.

THE IRON AND STEEL INSTITUTE

Annual General Meeting 1964: Formal business, 641.

Centenary of the Cleveland Institution of Engineers: Resumé of the Presidential Address, 881.

'Environment and Sheffield', Dr L. du Garde Peach, 801.

Programme of meetings of the Institute and of Affiliated Societies for the session 1964–65, 933.

ABSTRACTS

621, 703, 781, 863, 941, and 1031.

CORRESPONDENCE ON PAPERS

ERASMUS, L. A.: Effect of aluminium additions on forgeability, austenite grain coarsening temperature, and impact properties of steel. (*JISI*, 1964, 202, Jan., 32–41)
Effect of small additions of vanadium on the austenitic grain size, forgeability, and impact properties of steel (*ibid.*, Feb. 128–134) from WEBSTER, D., DUCKWORTH, W. E., BASTIEN, P. G. and PORTEVIN, P. A., 1018.

DISCUSSIONS

Discussion on developments in steel extrusion, and Discussion on Swedish rolling mills (48th Engineers Group Meeting 1964), 757.

Discussion on economics of process selection in the iron and steel industry (paper by BRISBY, M. D. J., WORTHINGTON, P. M., and ANDERSON, R. J.), 729.

Discussion on hot blast stoves (A.G.M. 1964), 849.

LETTERS TO THE EDITOR

BERAHA, E.: Metallographic reagent for identification of sulphide inclusions, 696.

BRADFIELD, G.: Comparison of the elastic anisotropy of two austenitic steels, 616.

DRIVER, D., and BARRAND, P.: Use of CH_4–H_2 mixture for controlled carburization of alpha-iron, 614.

GITTUS, J. H.: Implication of the multiplicative hardenability concept, 856.

VOICE, E. W., and WILD, R.: Blast furnace productivity indices, 1025.

NEWS

617, 699, 777, 859, 936, and 1027.

REVIEWS

Special Report 80 'Metallography 1963' by C. S. Smith, 857.

Special Report 83 'Fume arrestment' by J. S. Carter, 775.

Special Report 84 'Universal Decimal Classification: special subject edition for metallurgy' by E. Öhman, 1026.

TRANSLATIONS

620, 702, 780, 862, 940, and 1030.

ABBREVIATIONS AND SYMBOLS

Beginning with the January 1956 issue, the recommendations of British Standard 1991: Part I: 1954 (*Letters, symbols, signs, and abbreviations*) and subsequent amendments, have been adopted for use in the *Journal*. The following list gives the preferred symbol or abbreviation where the Standard offers alternatives, and certain abbreviations that are not covered in the Standard but which are approved for use in the *Journal*.

a	year
A	ampere(s)
AC	air-cooled
ac	alternating current
AH	air-hardened
approx.	approximately
ASTM	grain size number (American Society for Testing and Materials)
at-%	atomic percent
awg	American wire gauge
bcc	body-centred cubic
°Bé	Baumé (degree)
B & S	Brown and Sharpe (gauge)
BoT	Board of Trade
bwg	Birmingham wire gauge
cgs	Celsius-gramme-second unit(s)
cm^3	cubic centimetre(s)
d	day
FC	furnace-cooled
fcc	face-centred cubic
hcp	hexagonal close-packed
hf	high-frequency
hp-h	horsepower-hour(s)
iswg	Imperial standard wire gauge
kX	crystal Ångstrom(s)—1000 Siegbahn X-units
lf	low-frequency
μm	micrometre
OH	open-hearth; oil-hardened
OQ	oil-quenched
ppm	parts per million
RT	room temperature
s	second(s)
swg	standard wire gauge
T	Tempered
°Tw	degree(s) Twaddell
wg	water-gauge
WQ	water-quenched
wt-%	weight percent